WUSM Lighting Control User Guide



Manual Override Lighting Control:



Locations:

-Open office areas, some corridors

Automatic On/Off:

-Lights will turn on automatically at 6:00am and will remain on until 6:00pm

Manual On:

-Press switch to turn lights on for a 2 hour period

Manual Off:

-Press switch to turn lights off



Digital Dimming Lighting Control:



Locations:

-Large conference rooms, classrooms and training rooms

Manual On:

-Press and release the top of the switch to turn lights on

Manual Off:

-Press and release the bottom of the switch to turn lights off

To Adjust Light Level Up/Down:

-Press and hold the top of the switch to raise the light level -Press and hold the bottom of the switch to lower the light level

Automatic Off:

-Lights on these dimmers will turn off automatically at 6:00pm



Slide Dimming Lighting Control:



Manual On/Off:

-Press the top of the toggle switch to turn lights on -Press the bottom of the toggle switch to turn lights off

To Adjust Light Level Up/Down:

-Raise and lower the light level with the slide bar located to the right of each toggle switch

Locations:

-Small and medium conference rooms, lactation room, sound room, collaboration room, call center



Occupancy Sensor:



Locations:

-Storage rooms, unisex restrooms

Automatic On/Off:

- -Sensor will turn lights on automatically when someone enters the room
- -Sensor will turn lights off automatically 5 minutes after motion is no longer detected

Manual Off:

- -Press the top button
- -After a manual off, the automatic on function will resume 5 minutes after motion is no longer detected

Manual On:

- -Press the top button
- -This function will only be required during the first 5 minutes after a manual off



Dual-Tech Occupancy Sensor:



Locations:

-Break rooms

Automatic On/Off:

- -Sensor will turn lights on automatically when someone enters the room
- -Sensor will turn lights off automatically 5 minutes after motion is no longer detected

Manual Off:

- -Press the top button
- -After a manual off, the automatic on function will resume 5 minutes after motion is no longer detected

Manual On:

- -Press the top button
- -This function will only be required during the first 5 minutes after a manual off



Dual-Level Occupancy Sensor:



Locations:

-Enclosed offices, shower rooms

Automatic On/Off:

- -Sensor will turn lights on automatically to a 50% light level when someone enters the room
- -Sensor will turn lights off automatically 5 minutes after motion is no longer detected

To Adjust Light Level Up/Down:

- -Press the right button to raise the light level to 100%
- -If the light level is at 100%, press either button to reduce the light level to 50%

Manual Off:

- -If the light level is at 50%, press the corresponding button
- -If the light level is at 100%, press both buttons
- -After a manual off, the automatic on function will resume 5 minutes after motion is no longer detected

Manual On:

- -Press either button for a 50% light level
- -Press both buttons for a 100% light level
- -This function will only be required during the first 5 minutes after a manual off



Desk Task Light:



Manual On/Off:

-Press the button on the back of fixture to turn light on and off (see Close Up View)

Locations:

-Workstations and desks



Close Up View of Fixture



Unswitched Light Fixtures:



9th Floor Plan (11th & 12th Floor Plans are similar)

Locations:

-Elevator lobbies, stairs, circulation corridor along central core

Always On:

-All the light fixtures in the yellow highlighted areas are always on for life safety reasons -There is no manual or automatic on/off control for these fixtures

Note:

-A few fixtures are also always on in other areas (such as the open office areas) for life safety reasons



Automatic On/Off Light Fixtures:



1st Floor Plan



2nd Floor Plan

Locations:

-Main lobby, link

ewision LIGHTING DESIGN

Automatic On/Off:

- -Lights in the green highlighted areas will turn on automatically at 6:00am and will remain on until 6:00pm
- -After hours, sensor will turn lights on automatically when someone enters the area
- -Sensor will turn lights off automatically 5 minutes after motion is no longer detected